

Auckland Lane

Measurement Form

Name _____

E-mail _____


Phone# _____

Upload your completed form through our contact page.

ALL MEASUREMENTS IN CENTIMETERS PLEASE


1. BUST: measure across your back, under your arms and around the fullest part of your bust (usually across the nipples).

2. OVERARM: measure in the same position as the bust, but this time go around the outside of both arms.



3. UNDER BUST: measure around your rib cage, directly below the bust.

4. WAIST: measure around your waist (usually about belly-button level). You may find it helpful to use a narrow belt or cord to define the waist for future body length measurements.



5. HIPS: measure the widest part of your body around your bottom or the top of thighs, whichever is fuller.

6. ACROSS FRONT: measure across the front of your chest from midway down the armhole from one side to the other.


7. BACK LENGTH: measure from the base of your neck (where the bone protrudes at the top of your spine) straight down the spine to your waist or desired length of garment.



8. ACROSS BACK: measure across your back from where the arm meets the body to the same spot on the other side.

9. FRONT WAIST LENGTH: measure from shoulder at base of neck to your waist, passing over the bust point.


10. SHOULDER TO BUST POINT: Measure from shoulder at the base of the neck to nipple.



10. SHOULDER LENGTH: measure from the base of your neck to the bone at the top of your shoulder.


15. BICEP: measure around the widest part of your upper arm with the muscle relaxed.

13. NECK: measure around the base of your neck.



12. ARMHOLE: measure from the bone at the top of

your shoulder, down the front of your body, under your arm and back up to the top of your shoulder.




Additional sleeve measurements

14. SLEEVE LENGTH: With your arm slightly bent, measure from the bone at the top of your shoulder, along the outside of your arm, to the required sleeve length.

16. WRIST: measure around your wrist.

Additional pant measurements

17. PANT WAIST: measure at the level you intend to wear the pants. Mark it with a tape or belt to define it for other measurements.



18. UPPER THIGH: measure around the thickest part of your thigh.

19. CALF: measure around the thickest part of your calf.

20. ANKLE: measure around your leg at the point you want the pants to finish.



21. INSEAM: measure from the top of your inner thigh to the desired pant length.

22. OUTER SEAM: measure from your PANT waist, down the outside of your leg, to the desired pant length.


Classic straight, slightly wide, faintly bootcut pants should be ½" off the floor in the shoes you'll be wearing. There's usually a bit of a "break" (when the drape has a bend near the hem). When wearing pumps, only the front of your shoe should be showing.

Extreme flares look best with a longer length with your shoe almost hidden and the back of the pants should be ¼" off the floor. This length will keep them from dragging but will give a modern, clean look.

Skinnies should end at the top of the ankle, but if they gather or pool a bit it's okay. Also because they are to be shorter, they can work equally well with heels and flats.

Since straight length pants won't always fit over shoes and don't "break" well when longer, they can be shorter than other styles. Near the bottom of the ankle, before your foot starts is a good point for the hem.

23. CROTCH: measure from the PANT waist, between your legs and up to the front PANT waist.



24. FRONT RISE: measure from the middle of your crotch seam (right between your legs) to your PANT waist.


25. BACK RISE: measure from the middle of your crotch seam (right between your legs) to your PANT waist.

26. HIP CURVE: Sit on a hard chair. Measure the distance from your desired waistline to the seat of your chair, passing over the curve of your hip.



Additional skirt measurements

26. ADJUSTED HIPS: hold a ruler flat against your stomach and measure around the fullest part of your body at hip level, including the ruler (this allows for your stomach). Try to keep the ruler vertical to the floor.



27. WAIST TO HEM LENGTH: measure from your waist to the required hem length without shoes (enter heel height in the next box).

28. HEEL HEIGHT: measure the middle of the heel from where it meets the shoe to the floor.

